

HANDS-FREE COMMS



HANDS-FREE COMMS



APPI-Com is a long range wireless intercom designed for professionals in high-risk, noisy, and confined environments. This advanced hands-free communication solution works for teams of all sizes!

APPI Full-Duplex communication system revolutionizes team operations by eliminating the need to press buttons or wait your turn to speak. With **APPI-Com**, your voice is automatically detected by your chosen audio headset and transmitted to your team, even from distances of up to 4 kilometers.

APPI-COM
LR



ATEX



GSM
Compatible



APPI-Smart
Compatible



Walkie-Talkie
Compatible



Bluetooth



Man down
Alert



SCBA
Compatible




Water & dust
Resistant

APPI-Com is a long range, wireless and ultralight intercom system : despite obstacles, it ensures a clear communication within the working team in noisy or hostile environments.

MARITIME & NAVAL USE


BLUETOOTH

Create a gate way to the GSM network with your smartphone to integrate a remote team member.




PTT-DUAL

Create a gateway to any Walkie-Talkie network. Communicate on two networks simultaneously.



MAN DOWN ALERT

APPI radios are equipped with safety systems; Immobility vocal alert (LWP) or signal loss (Safeline).



AVAILABLE HEADSETS



HEAVY-DUTY



LIGHTWEIGHT



HARDHAT-MOUNT



WATERTIGHT





APPI
technology

SPECIFICATIONS

RADIO APPI-Com LR

Range >2.3mi (4km)

Free bands: 863-870MHz CE / 902-928MHz FHSS

Frequency hopping (scrambled) mode

Up to 50 channels (depends on Country)

Number of users per group : Unlimited

Emission power: less than 500mW

Certifications: CE / FCC / IC / ATEX

SyncAll: no fixed nor mobile base

FEATURES

DSP Based Noise canceler

Pager & Man Down vocal-alert

Bluetooth connection to Headsets / Phone / PMR ...

POWER AND BATTERY

Talk time: Up to 9h

Listen time: Up to 10h

Charging on any USB plug

External battery extension

GENERAL CHARACTERISTICS

Size: 3.6x1.9x0.6 in / 91x48x15 mm

Weight: 30z/80g

Shockproof : IK8

Watertight: IP67